Autodesk App Store: IPN notification format

Instant Payment Notification (IPN) is a message service that automatically notifies you about purchasing transactions related to your App. You can use it to automate back-office and administrative functions, such as automatically fulfilling orders and providing customers with order status or to send the serial number for activation, etc.

How it works

You need to create an IPN listener web service and then specify the URL of the listener in your profile in the Autodesk App Store. The Autodesk App Store then sends notifications of all transaction-related events to your URL.



IPN (Instant Payment Notification) specification for Paid Apps

Your web service endpoint should accept:

HTTP Headers

Method	POST
Data Format	x-www-form-urlencoded

Body Structure

Parameter Name	Туре	Notes	Sample value
appld	Integer	App's	2024453975166401172
		Unique ID	
		in the	
		Autodesk	
		App Store.	
		See note	
		<u>(2)</u>	
appLanguage	Text	Language	en
		of the it	
		can be one	
		of: cs, de,	
		en, es, fr,	
		hu, it, ja,	
		ko, pl, pt,	
		ru, zh-CN,	
		zh-TW	

appOS	Text	The	Win32_64
		operating	
		selected	
		for an app,	
		it can be	
		one of:	
		Win32,	
		Win64,	
		Web, Mac,	
		Win32_64,	
		Linux	
auth	Text	Linux	
business	Text		Mypaypalid@company.com
buyer_adsk_account	Text	Autodesk	useremail@company.com
buyer_ausk_account	TCXC	registered	uscremane company.com
		buyer's	
		email	
		address	
charset	Text	auuress	windows-1252
custom			200703030249937
	Integer Text		UserFirstName
first_name			
form_charset	Text		UTF-8
handling_amount	Double	_	0.00
item_name	Text	App name	MyAppNameInStore
item_number	Text	App's	appstore.exchange.autodesk.com screenshot en
		legacy ID	
		in the	
		Autodesk	
		App Store	
		for apps	
		created	
		before	
		20th	
		March	
		2016, else	
		it will be	
		the same	
		as appld	
		parameter.	
		See note	
		<u>(2)</u>	
last_name	Text		Userlastname
mc_currency	Text		USD

mc_fee	Double		0.43
mc_gross	Double	Payment	5.50
		amount	
		completed	
		by the	
		buyer.	
notify_version	Double		3.8
payer_email	Text		name@company.com
payer_id	Text		NEH6BJPL9LBYG
payer_status	Text		verified
payment_date	URL		23%3A36%3A36+Jan+11%2C+2014+PST
	Encoded		
	UTC		
	Date		
payment_fee	Double		0.43
payment_gross	Double		5.50
payment_status	Text		Completed
payment_type	Text		instant
protection_eligibility	Text		Ineligible
quantity	Integer		1
receiver_email	Text		publihserPaypal@company.com
receiver_id	Text		GDGRD3PAZBMD8
residence_country	Text		US
shipping	Double		0.00
tax	Double		0.50
transaction_subject	Integer		200703030249937
txn_id	Text		0AG18756HD086633A
txn_type	Text	Represents	web_accept
		the kind of	
		transaction	
		for which	
		the IPN	
		message	
		was sent.	
		See notes	
		<u>(1)</u>	
verify_sign	Text		AFcWxV21C7fd0v3bYYYRCpSSRl3

Important notes:

(1) Below are additional variables that are used for Instant Payment Notifications:

Variable	Value	Description
txn_type	"subscr_signup"	This Instant Payment Notification is for a subscription sign-up.

	"subscr_cancel"	This Instant Payment Notification is for a subscription cancellation.
	"subscr_payment"	This Instant Payment Notification is for a subscription payment.
	"web_accept"	This Instant Payment Notification is for a payment for paid App (Perpetual, not on subscription).
subscr_id	Transaction- specific	ID generated for the subscription.

(2) If this is your first time to set up IPN listener in AppStore, please parse the "appId" parameter to located your App. If you already have a running IPN which parse the item_number to find your app, you can continue to use this, please notice the "item_number" for apps created after 20th March 2016 will be the same as "appId" (eg: 2024453975166401172), which has no suffix for OS or Language.



IPN (Instant Payment Notification) specification for Free/Trial Apps

Free and Trial apps must expose a similar endpoint for IPN, but the number of parameters is reduced.

For Trial apps the IPN is simplified with only: txn_id, custom, payment_status, item_number, buyer_adsk_account, payment_gross, txn_type, appld, appLanguage, appOS. The txn_type could be one of the following values "FREE", "Free30DayTrial" or "TRIAL" for Free/Trial IPN.

For Free Apps you can only get the ID of the App (unique id of the App in the Autodesk App Store) and the user who has downloaded the App.

More information

The ADN team is here to help you be a successful publisher on the Autodesk App Store. We'll do whatever we can do to help you. You are welcome to email appsubmissions@autodesk.com if you have any further questions.