

### **VPAT**<sup>™</sup>

#### Voluntary Product Accessibility Template<sup>®</sup>

Version 1.3

The purpose of the **Voluntary Product Accessibility Template**, or **VPAT**<sup>™</sup>, is to assist Federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial "Electronic and Information Technology" products and services with features that support accessibility. It is assumed and recommended that offerers will provide additional contact information to facilitate more detailed inquiries.

The first table of the Template provides a summary view of the Section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. Column one of the Summary Table describes the subsections of subparts B and C of the Standards. The second column describes the supporting features of the product or refers you to the corresponding detailed table, e.g., "equivalent facilitation." The third column contains any additional remarks and explanations regarding the product. In the subsequent tables, the first column contains the lettered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

Date: Monday, March 06, 2017

Name of Product: Autodesk AutoCAD® Raster Design 2018

Contact for more Information (name/phone/email):

business.services@autodesk.com (415-507-5000)

### Summary Table

### **VPAT**<sup>™</sup>

#### Voluntary Product Accessibility Template®

| Criteria  | Supporting Features      | Remarks<br>and<br>explanations |
|---|--------------------------|--------------------------------|
| Section 1194.21 <u>Software</u><br>Applications and Operating Systems | Supports with exceptions | See details below              |
| Section 1194.22 Web-based<br>Internet Information and<br>Applications | Not applicable           |                                |
| Section 1194.23<br>Telecommunications Products                        | Not applicable           |                                |
| Section 1194.24 Video and Multi-<br>media Products                    | Not applicable           |                                |
| Section 1194.25 <u>Self-Contained,</u><br><u>Closed Products</u>      | Not applicable           |                                |
| Section 1194.26 <u>Desktop and</u><br>Portable Computers              | Not applicable           |                                |
| Section 1194.31 <u>Functional</u><br>Performance Criteria             | Supports with exceptions | See details below              |
| Section 1194.41 Information,<br>Documentation and Support             | Supports                 | See details below              |

#### Section 1194.21 Software Applications and Operating Systems – Detail

## VPAT™

Voluntary Product Accessibility Template<sup>®</sup>

| Criteria | Supporting | Remarks and |
|----------|------------|-------------|
|----------|------------|-------------|

|  | Features                 | explanations  |
|--|--------------------------|---|
| (a) When software is designed to<br>run on a system that has a<br>keyboard, product functions shall<br>be executable from a keyboard<br>where the function itself or the<br>result of performing a function can<br>be discerned textually. | Supports with exceptions | explanationsKeyboard input<br>is provided for<br>most commands.Also, a<br>command line<br>enables the user<br>to type in<br>commands<br>directly and<br>specify other<br>input.Supports keytips<br>for ribbon tabs<br>and most<br>widgets in<br>ribbon.When panels are<br>minimized,<br>keytips don't<br>work. The Panel<br>minimize<br>function does<br> |

|   |          | ribbon buttons<br>text are<br>provided, but<br>audio versions<br>are not<br>supported.<br>Toolbar and<br>ribbon button<br>images have<br>textual<br>equivalents.                |
|---|----------|---|
| (b) Applications shall not disrupt or<br>disable activated features of other<br>products that are identified as<br>accessibility features, where those<br>features are developed and<br>documented according to industry<br>standards. Applications also shall<br>not disrupt or disable activated<br>features of any operating system<br>that are identified as accessibility<br>features where the application<br>programming interface for those<br>accessibility features has been<br>documented by the manufacturer of<br>the operating system and is<br>available to the product developer. | Supports | Testing has<br>indicated that<br>AutoCAD Raster<br>Design software<br>programs do not<br>disrupt the<br>accessibility<br>features of other<br>products on the<br>user's system. |
| (c) A well-defined on-screen<br>indication of the current focus shall<br>be provided that moves among<br>interactive interface elements as<br>the input focus changes. The focus<br>shall be programmatically exposed<br>so that Assistive Technology can<br>track focus and focus changes.   | Supports | Focus is<br>programmatically<br>exposed through<br>command line<br>scripting,<br>Microsoft®<br>Visual Basic®<br>for Applications<br>(VBA), and C++<br>programming<br>interface. |
| (d) Sufficient information about a<br>user interface element including the<br>identity, operation and state of the<br>element shall be available to<br>Assistive Technology. When an<br>image represents a program<br>element, the information conveyed   | Supports | AutoCAD Raster<br>Design software<br>provide<br>information to<br>the user via the<br>Microsoft Active<br>Accessibility   |

| by the image must also be available in text.  |                             | application.   |
|---|-----------------------------|--|
| (e) When bitmap images are used<br>to identify controls, status<br>indicators, or other programmatic<br>elements, the meaning assigned to<br>those images shall be consistent<br>throughout an application's<br>performance.              | Supports                    | Bitmap images<br>and actions<br>associated with<br>them are<br>consistent.   |
| (f) Textual information shall be<br>provided through operating system<br>functions for displaying text. The<br>minimum information that shall be<br>made available is text content, text<br>input caret location, and text<br>attributes. | Supports                    | A text window<br>records the log<br>of what is being<br>done. This log<br>file can be<br>saved.  |
| (g) Applications shall not override<br>user selected contrast and color<br>selections and other individual<br>display attributes.   | Supports with<br>exceptions | Application does<br>not override<br>contrast and<br>color selections.<br>Testing shows<br>that the<br>application<br>performs well<br>under<br>highcontrast<br>settings. The<br>user can also<br>change color<br>settings. |
| (h) When animation is displayed,<br>the information shall be displayable<br>in at least one non-animated<br>presentation mode at the option of<br>the user.   | Supports                    | Animated<br>displays are<br>included only<br>within the<br>product's help<br>system. The<br>same<br>information is<br>documented with<br>text and images.  |
| (i) Color coding shall not be used<br>as the only means of conveying<br>information, indicating an action,<br>prompting a response, or  | Supports                    | Color-coding is<br>not used as the<br>only means of<br>conveying   |

| distinguishing a visual element.   |          | information. The<br>user can enter a<br>color index or in<br>certain cases an<br>RGB value.<br>Users can also<br>use predefined<br>named colors as<br>described by<br>PANTONE®,<br>RAL, and DIC®<br>color systems.   |
|--|----------|--|
| (j) When a product permits a user<br>to adjust color and contrast<br>settings, a variety of color<br>selections capable of producing a<br>range of contrast levels shall be<br>provided.   | Supports | AutoCAD Raster<br>Design provides<br>a wide variety of<br>color selections.<br>The user has the<br>ability to<br>customize the<br>application<br>window. Users<br>can also use<br>predefined<br>named colors as<br>described by<br>PANTONE, RAL,<br>and DIC. |
| (k) Software shall not use flashing<br>or blinking text, objects, or other<br>elements having a flash or blink<br>frequency greater than 2 Hz and<br>lower than 55 Hz.   | Supports | AutoCAD Raster<br>Design does not<br>use flashing or<br>blinking text.   |
| (I) When electronic forms are used,<br>the form shall allow people using<br>Assistive Technology to access the<br>information, field elements, and<br>functionality required for completion<br>and submission of the form,<br>including all directions and cues. | Supports | Microsoft Active<br>Accessibility<br>applications<br>such as Narrator<br>can be used to<br>access<br>particulars of the<br>components of a<br>form or dialog<br>box.   |

### Section 1194.22 Web-based Internet

#### information and applications – Detail

### **VPAT**<sup>™</sup>

# Voluntary Product Accessibility Template®

| Criteria   | Supporting Features | Remarks<br>and<br>explanations |
|--|---------------------|--------------------------------|
| (a) A text equivalent for every non-<br>text element shall be provided (e.g.,<br>via "alt", "longdesc", or in element<br>content).                                       | Not Applicable      |                                |
| (b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.   | Not Applicable      |                                |
| (c) Web pages shall be designed so<br>that all information conveyed with<br>color is also available without color,<br>for example from context or markup.                | Not Applicable      |                                |
| (d) Documents shall be organized<br>so they are readable without<br>requiring an associated style sheet.   | Not Applicable      |                                |
| (e) Redundant text links shall be<br>provided for each active region of a<br>server-side image map.  | Not Applicable      |                                |
| (f) Client-side image maps shall be<br>provided instead of server-side<br>image maps except where the<br>regions cannot be defined with an<br>available geometric shape. | Not Applicable      |                                |
| (g) Row and column headers shall be identified for data tables.  | Not Applicable      |                                |
| (h) Markup shall be used to<br>associate data cells and header<br>cells for data tables that have two or<br>more logical levels of row or column<br>headers.             | Not Applicable      |                                |

| (i) Frames shall be titled with text<br>that facilitates frame identification<br>and navigation  | Not Applicable |
|--|----------------|
| (j) Pages shall be designed to avoid<br>causing the screen to flicker with a<br>frequency greater than 2 Hz and<br>lower than 55 Hz.   | Not Applicable |
| (k) A text-only page, with equivalent<br>information or functionality, shall be<br>provided to make a web site comply<br>with the provisions of this part, when<br>compliance cannot be accomplished<br>in any other way. The content of the<br>text-only page shall be updated<br>whenever the primary page<br>changes. | Not Applicable |
| (I) When pages utilize scripting<br>languages to display content, or to<br>create interface elements, the<br>information provided by the script<br>shall be identified with functional<br>text that can be read by Assistive<br>Technology.  | Not Applicable |
| (m) When a web page requires that<br>an applet, plug-in or other<br>application be present on the client<br>system to interpret page content,<br>the page must provide a link to a<br>plug-in or applet that complies with<br>§1194.21(a) through (l).   | Not Applicable |
| (n) When electronic forms are<br>designed to be completed on-line,<br>the form shall allow people using<br>Assistive Technology to access the<br>information, field elements, and<br>functionality required for completion<br>and submission of the form,<br>including all directions and cues.                          | Not Applicable |
| (o) A method shall be provided that<br>permits users to skip repetitive<br>navigation links.   | Not Applicable |
| (p) When a timed response is<br>required, the user shall be alerted<br>and given sufficient time to indicate   | Not Applicable |

| more time is required. |  |
|------------------------|--|
|                        |  |

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

Section 1194.23 Telecommunications Products – Detail **VPAT**<sup>TM</sup> Voluntary Product Accessibility Template<sup>®</sup> Remarks Criteria Supporting Features and explanations (a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a Not Applicable standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use. (b) Telecommunications products which include voice communication functionality shall support all Not Applicable commonly used cross-manufacturer non-proprietary standard TTY signal protocols. (c) Voice mail, auto-attendant, and interactive voice response Not Applicable telecommunications systems shall be usable by TTY users with their

| TTYs.   |                |
|---|----------------|
| (d) Voice mail, messaging, auto-<br>attendant, and interactive voice<br>response telecommunications<br>systems that require a response<br>from a user within a time interval,<br>shall give an alert when the time<br>interval is about to run out, and shall<br>provide sufficient time for the user to<br>indicate more time is required. | Not Applicable |
| (e) Where provided, caller<br>identification and similar<br>telecommunications functions shall<br>also be available for users of TTYs,<br>and for users who cannot see<br>displays.   | Not Applicable |
| (f) For transmitted voice signals,<br>telecommunications products shall<br>provide a gain adjustable up to a<br>minimum of 20 dB. For incremental<br>volume control, at least one<br>intermediate step of 12 dB of gain<br>shall be provided.   | Not Applicable |
| (g) If the telecommunications<br>product allows a user to adjust the<br>receive volume, a function shall be<br>provided to automatically reset the<br>volume to the default level after<br>every use.   | Not Applicable |
| (h) Where a telecommunications<br>product delivers output by an audio<br>transducer which is normally held<br>up to the ear, a means for effective<br>magnetic wireless coupling to<br>hearing technologies shall be<br>provided.   | Not Applicable |
| (i) Interference to hearing<br>technologies (including hearing<br>aids, cochlear implants, and<br>assistive listening devices) shall be<br>reduced to the lowest possible level<br>that allows a user of hearing<br>technologies to utilize the<br>telecommunications product.  | Not Applicable |

| (j) Products that transmit or conduct<br>information or communication, shall<br>pass through cross-manufacturer,<br>non-proprietary, industry-standard<br>codes, translation protocols, formats<br>or other information necessary to<br>provide the information or<br>communication in a usable format.<br>Technologies which use encoding,<br>signal compression, format<br>transformation, or similar techniques<br>shall not remove information<br>needed for access or shall restore it<br>upon delivery. | Not Applicable |
|---|----------------|
| (k)(1) Products which have<br>mechanically operated controls or<br>keys shall comply with the following:<br>Controls and Keys shall be tactilely<br>discernible without activating the<br>controls or keys.   | Not Applicable |
| (k)(2) Products which have<br>mechanically operated controls or<br>keys shall comply with the following:<br>Controls and Keys shall be operable<br>with one hand and shall not require<br>tight grasping, pinching, twisting of<br>the wrist. The force required to<br>activate controls and keys shall be 5<br>lbs. (22.2N) maximum.   | Not Applicable |
| (k)(3) Products which have<br>mechanically operated controls or<br>keys shall comply with the following:<br>If key repeat is supported, the delay<br>before repeat shall be adjustable to<br>at least 2 seconds. Key repeat rate<br>shall be adjustable to 2 seconds per<br>character.  | Not Applicable |
| (k)(4) Products which have<br>mechanically operated controls or<br>keys shall comply with the following:<br>The status of all locking or toggle<br>controls or keys shall be visually<br>discernible, and discernible either<br>through touch or sound.   | Not Applicable |

#### Section 1194.24 Video and Multi-media

#### **Products – Detail**

#### **VPAT**<sup>™</sup>

### Voluntary Product Accessibility Template<sup>®</sup>

| Criteria   | Supporting Features | Remarks and explanations |
|--|---------------------|--------------------------|
| a) All analog television<br>displays 13 inches and<br>larger, and computer<br>equipment that includes<br>analog television receiver<br>or display circuitry, shall<br>be equipped with caption<br>decoder circuitry which<br>appropriately receives,<br>decodes, and displays<br>closed captions from<br>broadcast, cable,<br>videotape, and DVD<br>signals. As soon as<br>practicable, but not later<br>than July 1, 2002,<br>widescreen digital<br>television (DTV) displays<br>measuring at least 7.8<br>inches vertically, DTV<br>sets with conventional<br>displays measuring at<br>least 13 inches vertically,<br>and stand-alone DTV<br>tuners, whether or not<br>they are marketed with<br>display screens, and<br>computer equipment that<br>includes DTV receiver or<br>display circuitry, shall be<br>equipped with caption | Not Applicable      |                          |

| decoder circuitry which<br>appropriately receives,<br>decodes, and displays<br>closed captions from<br>broadcast, cable,<br>videotape, and DVD<br>signals.   |                |  |
|--|----------------|--|
| (b) Television tuners,<br>including tuner cards for<br>use in computers, shall<br>be equipped with<br>secondary audio program<br>playback circuitry.   | Not Applicable |  |
| (c) All training and<br>informational video and<br>multimedia productions<br>which support the<br>agency's mission,<br>regardless of format, that<br>contain speech or other<br>audio information<br>necessary for the<br>comprehension of the<br>content, shall be open or<br>closed captioned. | Not Applicable |  |
| (d) All training and<br>informational video and<br>multimedia productions<br>which support the<br>agency's mission,<br>regardless of format, that<br>contain visual information<br>necessary for the<br>comprehension of the<br>content, shall be audio<br>described.                            | Not Applicable |  |
| (e) Display or<br>presentation of alternate<br>text presentation or audio<br>descriptions shall be<br>user-selectable unless<br>permanent.   | Not Applicable |  |

#### Section 1194.25 Self-Contained, Closed Products – Detail

### VPAT™

### Voluntary Product Accessibility Template®

| Criteria   | Supporting Features | Remarks and explanations |
|--|---------------------|--------------------------|
| (a) Self contained<br>products shall be usable<br>by people with disabilities<br>without requiring an end-<br>user to attach Assistive<br>Technology to the<br>product. Personal<br>headsets for private<br>listening are not Assistive<br>Technology.         | Not applicable      |                          |
| (b) When a timed<br>response is required, the<br>user shall be alerted and<br>given sufficient time to<br>indicate more time is<br>required.   | Not applicable      |                          |
| <ul> <li>(c) Where a product<br/>utilizes touchscreens or<br/>contact-sensitive<br/>controls, an input method<br/>shall be provided that<br/>complies with §1194.23</li> <li>(k) (1) through (4).</li> </ul>   | Not applicable      |                          |
| (d) When biometric forms<br>of user identification or<br>control are used, an<br>alternative form of<br>identification or<br>activation, which does<br>not require the user to<br>possess particular<br>biological characteristics,<br>shall also be provided. | Not applicable      |                          |

| (e) When products<br>provide auditory output,<br>the audio signal shall be<br>provided at a standard<br>signal level through an<br>industry standard<br>connector that will allow<br>for private listening. The<br>product must provide the<br>ability to interrupt, pause,<br>and restart the audio at<br>anytime.  | Not applicable |  |
|--|----------------|--|
| (f) When products deliver<br>voice output in a public<br>area, incremental volume<br>control shall be provided<br>with output amplification<br>up to a level of at least<br>65 dB. Where the<br>ambient noise level of the<br>environment is above 45<br>dB, a volume gain of at<br>least 20 dB above the<br>ambient level shall be<br>user selectable. A<br>function shall be provided<br>to automatically reset the<br>volume to the default<br>level after every use. | Not applicable |  |
| (g) Color coding shall not<br>be used as the only<br>means of conveying<br>information, indicating an<br>action, prompting a<br>response, or<br>distinguishing a visual<br>element.  | Not applicable |  |
| (h) When a product<br>permits a user to adjust<br>color and contrast<br>settings, a range of color<br>selections capable of<br>producing a variety of<br>contrast levels shall be<br>provided.   | Not applicable |  |

| (i) Products shall be<br>designed to avoid<br>causing the screen to<br>flicker with a frequency<br>greater than 2 Hz and<br>lower than 55 Hz.  | Not applicable |  |
|--|----------------|--|
| (j) (1) Products which are<br>freestanding, non-<br>portable, and intended to<br>be used in one location<br>and which have operable<br>controls shall comply with<br>the following: The<br>position of any operable<br>control shall be<br>determined with respect<br>to a vertical plane, which<br>is 48 inches in length,<br>centered on the operable<br>control, and at the<br>maximum protrusion of<br>the product within the 48<br>inch length on products<br>which are freestanding,<br>non-portable, and<br>intended to be used in<br>one location and which<br>have operable controls. | Not applicable |  |
| (j)(2) Products which are<br>freestanding, non-<br>portable, and intended to<br>be used in one location<br>and which have operable<br>controls shall comply with<br>the following: Where any<br>operable control is 10<br>inches or less behind the<br>reference plane, the<br>height shall be 54 inches<br>maximum and 15 inches<br>minimum above the floor.  | Not applicable |  |
| (j)(3) Products which are<br>freestanding, non-<br>portable, and intended to<br>be used in one location  | Not applicable |  |

| and which have operable<br>controls shall comply with<br>the following: Where any<br>operable control is more<br>than 10 inches and not<br>more than 24 inches<br>behind the reference<br>plane, the height shall be<br>46 inches maximum and<br>15 inches minimum<br>above the floor. |                |  |
|--|----------------|--|
| (j)(4) Products which are<br>freestanding, non-<br>portable, and intended to<br>be used in one location<br>and which have operable<br>controls shall comply with<br>the following: Operable<br>controls shall not be<br>more than 24 inches<br>behind the reference<br>plane.          | Not applicable |  |

|   | 94.26 Desktop an<br>Computers – Detal |                          |
|---|---------------------------------------|--------------------------|
|   | VPAT™                                 |                          |
| Voluntary Product Accessibility Template <sup>®</sup>   |                                       |                          |
| Criteria  | Supporting Features                   | Remarks and explanations |
| (a) All mechanically<br>operated controls and<br>keys shall comply with<br>§1194.23 (k) (1) through<br>(4). | Not applicable                        |                          |
| (b) If a product utilizes touchscreens or touch-  | Not applicable                        |                          |

| operated controls, an<br>input method shall be<br>provided that complies<br>with §1194.23 (k) (1)<br>through (4).  |                |  |
|--|----------------|--|
| (c) When biometric forms<br>of user identification or<br>control are used, an<br>alternative form of<br>identification or<br>activation, which does<br>not require the user to<br>possess particular<br>biological characteristics,<br>shall also be provided. | Not applicable |  |
| (d) Where provided, at<br>least one of each type of<br>expansion slots, ports<br>and connectors shall<br>comply with publicly<br>available industry<br>standards   | Not applicable |  |

| Section 1194.31 Functional Performance<br>Criteria – Detail<br>VPAT™   |                             |   |
|--|-----------------------------|---|
| Voluntary Product Accessibility Template <sup>®</sup>  |                             |   |
| Criteria   | Supporting Features         | Remarks and explanations  |
| (a) At least one mode of<br>operation and information<br>retrieval that does not<br>require user vision shall<br>be provided, or support<br>for Assistive Technology<br>used by people who are | Supports with<br>exceptions | Application supports<br>assistive technologies<br>with minor exceptions<br>like reading tooltips. |

| blind or visually impaired shall be provided.   |                             |   |
|---|-----------------------------|---|
| (b) At least one mode of<br>operation and information<br>retrieval that does not<br>require visual acuity<br>greater than 20/70 shall<br>be provided in audio and<br>enlarged print output<br>working together or<br>independently, or support<br>for Assistive Technology<br>used by people who are<br>visually impaired shall be<br>provided. | Supports with<br>exceptions | No audio is available in<br>the product.<br>Keyboard navigation is<br>provided for all menu<br>commands.<br>Also, a command line<br>enables the user to type<br>in commands and other<br>input.<br>This text input can be<br>enlarged through product<br>options. Microsoft Active<br>Accessibility applications<br>such as Narrator can be<br>used to access<br>particulars of the<br>components of a form or<br>dialog box. |
| (c) At least one mode of<br>operation and information<br>retrieval that does not<br>require user hearing shall<br>be provided, or support<br>for Assistive Technology<br>used by people who are<br>deaf or hard of hearing<br>shall be provided   | Supports                    | AutoCAD Raster Design<br>does not require user<br>hearing to operate the<br>software.   |
| (d) Where audio<br>information is important<br>for the use of a product,<br>at least one mode of<br>operation and information<br>retrieval shall be<br>provided in an enhanced<br>auditory fashion, or<br>support for assistive<br>hearing devices shall be<br>provided.  | Supports                    | AutoCAD Raster Design<br>does not require user<br>hearing to operate the<br>software.   |
| (e) At least one mode of operation and information  | Supports                    | AutoCAD Raster Design does not require user   |

| retrieval that does not<br>require user speech shall<br>be provided, or support<br>for Assistive Technology<br>used by people with<br>disabilities shall be<br>provided.  |                             | speech to operate the software.  |
|---|-----------------------------|--|
| (f) At least one mode of<br>operation and information<br>retrieval that does not<br>require fine motor control<br>or simultaneous actions<br>and that is operable with<br>limited reach and<br>strength shall be<br>provided. | Supports with<br>exceptions | Keyboard navigation is<br>provided for all AutoCAD<br>Raster Design<br>commands. |

Section 1194.41 Information, Documentation

#### and Support – Detail

### **VPAT**<sup>™</sup>

## Voluntary Product Accessibility Template®

| Criteria  | Supporting Features | Remarks and explanations   |
|---|---------------------|--|
| (a) Product support<br>documentation provided<br>to end-users shall be<br>made available in<br>alternate formats upon<br>request, at no additional<br>charge  | Supports            | Support documentation is available online, and in downloadable form.                 |
| (b) End-users shall have<br>access to a description of<br>the accessibility and<br>compatibility features of<br>products in alternate<br>formats or alternate | Supports            | This document is posted<br>at <u>www.autodesk.com</u> .<br>Search for "Section 508." |

| methods upon request, at no additional charge.   |          |   |
|--|----------|---|
| (c) Support services for<br>products shall<br>accommodate the<br>communication needs of<br>end-users with<br>disabilities. | Supports | Support services options<br>are available via web<br>page, email, or phone.<br>Direct, in-person support<br>is also available through<br>resellers. |

Return to the top of the page.



Voluntary Product Accessibility Template and VPAT are registered trademarks or trademarks of Information Technology Industry Council.

Autodesk and AutoCAD® Raster Design are registered trademarks or trademarks of Autodesk, Inc., or its subsidiaries and/or affiliates in the USA and/or other /countries. All other brand names, product names, or trademarks belong to their respective holders. Autodesk reserves the right to alter product offerings and specifications at any time without notice, and is not responsible for typographical or graphical errors that may appear in this document.

© 2017 Autodesk, Inc. All rights reserved.