Version 1.6



# Voluntary Product Accessibility Template (VPAT)

Date: January 15, 2019

Product Name: Autodesk® Mudbox®
Product Version Number: 2019
Vendor Company Name: Autodesk
Vendor Contact Name: Chris Vienneau
Vendor Contact Telephone: 415-507-5000

# APPENDIX A: Suggested Language Guide

ggested Language (	Juluc
te	
Level of Support & Supporting Features	Remarks and explanations
Supported with exceptions	See Section 119.21 for details.
Not Applicable	Not Applicable
Supported with exceptions	See Section 1194.31 for details
Supported	See Section 1194.41 for details
and Operating Systems	s - Detail
Level of Support & Supporting Features	Remarks and explanations
	Level of Support & Supporting Features Supported with exceptions Not Applicable Not Applicable Not Applicable Not Applicable Supported with exceptions Supported with exceptions Supported and Operating Systems se Level of Support &

(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Supported with exceptions	Keyboard navigation is provided for most Menu commands.
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.		Mudbox does not generally disrupt or disable the accessibility features of the Windows operating system. The Narrator does not work for all controls in the Mudbox interface, for example icon buttons. Users can use the equivalent menu items, via the Narrator. Mudbox does not support the use of large fonts in most of the interface.
(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Supported with exceptions	Focus is indicated at all times, and its size can be modified by the user. There is no programmatic means to change the focus.
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Supported with exceptions	Mudbox provides information to the user via the Microsoft Active Accessibility Application. Not all UI controls are accessible via the Narrator tool.
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Supported	Bitmap images and actions associated with them are consistent.
(f) Textual information shall be provided through operating system functions for displaying text. The	Supported	A text window records a log of what operations are being

minimum information that shall be made available is text content, text input caret location, and text attributes.		performed, as well as diagnostic messages. This log can be saved to a file. A heads-up display (HUD) conveys warnings and information to the user in text format.
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Supported	Mudbox does not override contrast and color selections. The application performs acceptably under High Contrast settings. Also the user has the ability to change main color settings.
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Not Applicable	
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supported with exceptions	Color-coding is not generally used as the only means of conveying information.
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Supported	The user is able to select a wide range of colors and contrast levels.
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Supported with exceptions	Mudbox generally does not use flashing or blinking text.
(I) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supported with exceptions	Microsoft Active Accessibility applications like the Narrator can be used to access particulars of the components of some forms and dialog boxes.

Section 1194.22 Web-based Intranet and Internet information and Applications - Detail

Voluntary Product Accessibility Template

Voluntary i Toddot / todossibility Terr		
Criteria	Level of Support &	Remarks and
	Supporting Features	explanations
(a) A text equivalent for every non- text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Not Applicable	
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	Not Applicable	
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	Not Applicable	
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	Not Applicable	
(e) Redundant text links shall be provided for each active region of a server-side image map.	Not Applicable	
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	Not Applicable	
(g) Row and column headers shall be identified for data tables.	Not Applicable	
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Not Applicable	
(i) Frames shall be titled with text that facilitates frame identification and navigation	Not Applicable	
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not Applicable	
(k) A text-only page, with equivalent information or functionality, shall be provided to	Not Applicable	

make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.		
(I) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	Not Applicable	
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with 1194.21(a) through (l).	Not Applicable	
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Not Applicable	
(o) A method shall be provided that permits users to skip repetitive navigation links.	Not Applicable	
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not Applicable	

Section 1194.23 Telecommunications Products - Detail Voluntary Product Accessibility Template		
Criteria		Remarks and explanations
(a) Telecommunications products or systems which provide a function allowing voice	Not Applicable	

communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.		
(b) Telecommunications products which include voice communication functionality shall support all commonly used crossmanufacturer non-proprietary standard TTY signal protocols.	Not Applicable	
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Not Applicable	
(d) Voice mail, messaging, auto- attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.	Not Applicable	
(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.	Not Applicable	
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	Not Applicable	
(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset	Not Applicable	

the volume to the default level after every use.		
(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Not Applicable	
(i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.	Not Applicable	
(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.	Not Applicable	
(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.	Not Applicable	
(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The	Not Applicable	

force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.		
(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.	Not Applicable	
(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.	Not Applicable	

ritorio	Level of Support & Supporting Features	Remarks and explanations
All analog television displays 3 inches and larger, and computer equipment that includes analog television receiver or lisplay circuitry, shall be equipped with caption decoder circuitry which appropriately eceives, decodes, and displays closed captions from broadcast, able, videotape, and DVD ignals. As soon as practicable, but not later than July 1, 2002, videscreen digital television DTV) displays measuring at least 1.8 inches vertically, DTV sets with conventional displays measuring at least 1.3 inches certically, and stand-alone DTV uners, whether or not they are	Not Applicable	

marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.		
(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.	Not Applicable	
(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.	Not Applicable	
(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	Not Applicable	
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	Not Applicable	

Section 1194.25 Self-Contained, Closed Products – Detail Voluntary Product Accessibility Template		
Criteria	Level of Support & Supporting Features	Remarks and explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private	Not Applicable	

listening are not Assistive Technology.		
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not Applicable	
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with 1194.23 (k) (1) through (4).	Not Applicable	
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	Not Applicable	
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Not Applicable	

(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	Not Applicable	
<ul><li>(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</li></ul>	Not Applicable	
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	Not Applicable	
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	Not Applicable	
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches	Not Applicable	

and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.		
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.	Not Applicable	

Section 1194.26 Desktop and Portable Computers		
Criteria	Level of Support & Supporting Features	Remarks and explanations
(a) All mechanically operated controls and keys shall comply with 1194.23 (k) (1) through (4).	Not Applicable	
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with 1194.23 (k) (1) through (4).	Not Applicable	
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards	Not Applicable	

Section 1194.31 Functional Performance Criteria – Detail Voluntary Product Accessibility Template

Criteria	Level of Support & Supporting Features	Remarks and explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.		Microsoft Active Accessibility applications like the Narrator can be used to access particulars of the components of some forms and dialog boxes. Many interface controls such as 3D object manipulation is not accessible via the Narrator.
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Supported with exceptions	Keyboard navigation is provided for most Menu commands. Assistive Technology like the Magnifier can be used to provide enlarged print output.
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided		Mudbox does not require user hearing in order to operate the software.
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Not Applicable	Mudbox does not require user hearing in order to operate the software.
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.		Mudbox does not require user speech in order to operate the software.
(f) At least one mode of operation and information retrieval that does not require fine motor control or	Supported	The software can be customized to enhance access to particular

simultaneous actions and that is	functions, for example,
operable with limited reach and	with single key activation.
strength shall be provided.	

Section 1194.41 Information, Documentation and Support – Detail Voluntary Product Accessibility Template		
Criteria	Level of Support & Supporting Features	Remarks and explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge	Supported	Support documentation is available in electronic format only, on the Autodesk website at no additional charge.
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Supported	This document is posted on the Autodesk website at http://www.autodesk.com Search for "Section 508
(c) Support services for products shall accommodate the communication needs of endusers with disabilities.	Supported	Support services options are available via webpage, e-mail, fax, or phone. Direct, in-person support is available through Autodesk resellers.

### **APPENDIX A (of the DoS VPAT/GPAT Checklist)**

# Suggested Language for Filling out the VPAT/GPAT

In order to simplify the task of conducting market research assessments for procurement officials or customers, ITIC (Information Technology Industry Council) has developed suggested language for use when filling out a VPAT/GPAT. You may choose to employ all or some of the language below. Once you determine what language you intend to use, we recommend that use is consistent throughout all of your VPAT/GPATs.

# **Supporting Features (Column 2 on VPAT/GPAT)**

#### Supports

Use this language when you determine the product fully meets the letter and intent of the Criteria.

#### **Supports with Exceptions**

Use this language when you determine the product does not fully meet the letter and intent of the Criteria, but provides some level of access relative to the Criteria.

#### **Supports through Equivalent Facilitation**

Use this language when you have identified an alternate way to meet the intent of the Criteria or when the product does not fully meet the intent of the Criteria.

## Supports when combined with Compatible AT

Use this language when you determine the product fully meets the letter and intent of the Criteria when used in combination with Compatible AT. For example, many software programs can provide speech output when combined with a compatible screen reader (commonly used assistive technology for people who are blind).

#### **Does not Support**

Use this language when you determine the product does not meet the letter or intent of the Criteria.

#### **Not Applicable**

Use this language when you determine that the Criteria do not apply to the specific product.

#### **Not Applicable - Fundamental Alteration Exception Applies**

Use this language when you determine a Fundamental Alteration of the product would be required to meet the Criteria (see the access board standards for the definition of "fundamental alteration").

#### **IMPACT Outreach Center**

IRM Program for Accessible Computer/Communication Technology (IMPACT) 2025 E Street, N.W. (SA-9)

Washington, DC 20006

Email: SECTION508@state.gov

Internet: http://www.state.gov/m/irm/impact/index.htm

Intranet: http://impact.state.gov