

Version 1.6



Voluntary Product Accessibility Template (VPAT)

Date: 02/28/2018

Product Name: Autodesk® Vault Basic 2019

Product Version Number: 2019

Vendor Company Name: Autodesk, Inc.

Vendor Contact Telephone: 415-356-0700

APPENDIX A: Suggested Language Guide

| Summary Table Voluntary Product Accessibility Template | | |
|---|--|----------------------------------|
| <i>Criteria</i> | Level of Support & Supporting Features | Remarks and explanations |
| Section 1194.21 Software Applications and Operating Systems | Completed | See Section 1194.21 for details. |
| Section 1194.22 Web-based Internet Information and Applications | Not Applicable | |
| Section 1194.23 Telecommunications Products | Not Applicable | |
| Section 1194.24 Video and Multi-media Products | Not Applicable | |
| Section 1194.25 Self-Contained, Closed Products | Not Applicable | |
| Section 1194.26 Desktop and Portable Computers | Not Applicable | |
| Section 1194.31 Functional Performance Criteria | Completed | See Section 1194.31 for details. |
| Section 1194.41 Information, Documentation and Support | Completed | See Section 1194.41 for details. |

Section 1194.21 Software Applications and Operating Systems - Detail
 Voluntary Product Accessibility Template

| <i>Criteria</i> | Level of Support & Supporting Features | Remarks and explanations |
|---|--|---|
| <p>(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.</p> | <p>Supports with Exceptions</p> | <p>Keyboard navigation is provided for all Menu commands, but in some cases a mouse input is needed to enable the command in the menu. Autodesk® Vault Basic 2019 lacks a status bar to reiterate tooltips.</p> |
| <p>(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.</p> | <p>Supports</p> | <p>Autodesk® Vault Basic 2019 does not disrupt or disable the accessibility features of the Windows® operating system</p> |
| <p>(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.</p> | <p>Supports with Exceptions</p> | <p>Focus can be tracked by Assistive Technology. When using a screen reader application there is a small spoken dialog and when there is, it gives the user inadequate information.</p> |

| | | |
|---|-------------------------|---|
| <p>(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.</p> | <p>Does not Support</p> | <p>Microsoft Active Accessibility applications like the Narrator cannot be used to distinguish and read all control options.</p> |
| <p>(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.</p> | <p>Supports</p> | <p>Bitmap images and actions associated with them are consistent.</p> |
| <p>(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.</p> | <p>Does not Support</p> | <p>Microsoft Active Accessibility applications like the Narrator cannot be used to access textual information.</p> |
| <p>(g) Applications shall not override user selected contrast and color selections and other individual display attributes.</p> | <p>Supports</p> | <p>Autodesk® Vault Basic 2019 does not override contrast and color selections. Autodesk® Vault Basic 2019 performs acceptably under High Contrast settings.</p> |
| <p>(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.</p> | <p>Supports</p> | <p>Animated display also conveys its information by using captions.</p> |

| | | |
|--|--------------------------|--|
| (i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. | Supports | Color-coding is not used as the only means of conveying information. |
| (j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided. | Not Applicable | Autodesk® Vault Basic 2019 does not allow a user to adjust color and contrast settings. |
| (k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz. | Supports with Exceptions | Autodesk® Vault Basic 2019 does not use flashing or blinking text but has a blinking error images. |
| (l) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues. | Does not Support | Microsoft Active Accessibility applications like the Narrator cannot be used to access electronic form. It can read the input, but can't provide enough information to navigate the user to use the product. |

| Section 1194.22 Web-based Intranet and Internet information and Applications - Detail Voluntary Product Accessibility Template | | |
|--|--|--------------------------|
| <i>Criteria</i> | Level of Support & Supporting Features | Remarks and explanations |
| (a) A text equivalent for every non-text element shall be provided (e.g., | Not Applicable | |

| | | |
|---|----------------|--|
| via "alt", "longdesc", or in element content). | | |
| (b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation. | Not Applicable | |
| (c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup. | Not Applicable | |
| (d) Documents shall be organized so they are readable without requiring an associated style sheet. | Not Applicable | |
| (e) Redundant text links shall be provided for each active region of a server-side image map. | Not Applicable | |
| (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. | Not Applicable | |
| (g) Row and column headers shall be identified for data tables. | Not Applicable | |
| (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. | Not Applicable | |
| (i) Frames shall be titled with text that facilitates frame identification and navigation | Not Applicable | |
| (j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz. | Not Applicable | |
| (k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be | Not Applicable | |

| | | |
|--|----------------|--|
| updated whenever the primary page changes. | | |
| (l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology. | Not Applicable | |
| (m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with 1194.21(a) through (l). | Not Applicable | |
| (n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues. | Not Applicable | |
| (o) A method shall be provided that permits users to skip repetitive navigation links. | Not Applicable | |
| (p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required. | Not Applicable | |

| | | |
|--|--|--------------------------|
| Section 1194.23 Telecommunications Products - Detail Voluntary Product Accessibility Template | | |
| <i>Criteria</i> | Level of Support & Supporting Features | Remarks and explanations |
| (a) Telecommunications products or systems which provide a function allowing voice communication and | Not Applicable | |

| | | |
|---|-----------------------|--|
| <p>which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.</p> | | |
| <p>(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.</p> | <p>Not Applicable</p> | |
| <p>(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.</p> | <p>Not Applicable</p> | |
| <p>(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.</p> | <p>Not Applicable</p> | |
| <p>(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.</p> | <p>Not Applicable</p> | |
| <p>(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one</p> | <p>Not Applicable</p> | |

| | | |
|--|----------------|--|
| intermediate step of 12 dB of gain shall be provided. | | |
| (g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use. | Not Applicable | |
| (h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided. | Not Applicable | |
| (i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product. | Not Applicable | |
| (j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery. | Not Applicable | |
| (k)(1) Products which have mechanically operated controls or | Not Applicable | |

| | | |
|---|----------------|--|
| keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys. | | |
| (k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum. | Not Applicable | |
| (k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character. | Not Applicable | |
| (k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound. | Not Applicable | |

| | | |
|---|--|--------------------------|
| Section 1194.24 Video and Multi-media Products – Detail Voluntary Product Accessibility Template | | |
| <i>Criteria</i> | Level of Support & Supporting Features | Remarks and explanations |
| a) All analog television displays 13 inches and larger, and computer equipment that includes analog | Not Applicable | |

| | | |
|--|-----------------------|--|
| <p>television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.</p> | | |
| <p>(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.</p> | <p>Not Applicable</p> | |
| <p>(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.</p> | <p>Not Applicable</p> | |
| <p>(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the</p> | <p>Not Applicable</p> | |

| | | |
|---|----------------|--|
| comprehension of the content, shall be audio described. | | |
| (e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent. | Not Applicable | |

| Section 1194.25 Self-Contained, Closed Products – Detail Voluntary Product Accessibility Template | | |
|---|--|--------------------------|
| <i>Criteria</i> | Level of Support & Supporting Features | Remarks and explanations |
| (a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology. | Not Applicable | |
| (b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required. | Not Applicable | |
| (c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with 1194.23 (k) (1) through (4). | Not Applicable | |
| (d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided. | Not Applicable | |
| (e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard | Not Applicable | |

| | | |
|---|-----------------------|--|
| <p>connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.</p> | | |
| <p>(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.</p> | <p>Not Applicable</p> | |
| <p>(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p> | <p>Not Applicable</p> | |
| <p>(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.</p> | <p>Not Applicable</p> | |
| <p>(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</p> | <p>Not Applicable</p> | |
| <p>(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the</p> | <p>Not Applicable</p> | |

| | | |
|---|-----------------------|--|
| <p>operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.</p> | | |
| <p>(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.</p> | <p>Not Applicable</p> | |
| <p>(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.</p> | <p>Not Applicable</p> | |
| <p>(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.</p> | <p>Not Applicable</p> | |

Section 1194.26 Desktop and Portable Computers

| <i>Criteria</i> | Level of Support & Supporting Features | Remarks and explanations |
|---|--|--------------------------|
| (a) All mechanically operated controls and keys shall comply with 1194.23 (k) (1) through (4). | Not Applicable | |
| (b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with 1194.23 (k) (1) through (4). | Not Applicable | |
| (c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided. | Not Applicable | |
| (d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards | Not Applicable | |

Section 1194.31 Functional Performance Criteria – Detail
Voluntary Product Accessibility Template

| <i>Criteria</i> | Level of Support & Supporting Features | Remarks and explanations |
|--|--|--|
| (a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided. | Does not Support | Autodesk® Vault Basic 2019 does not support Assistive Technology to the level where user’s vision is not needed. |
| (b) At least one mode of operation and information retrieval that does not require visual acuity greater | Supports with Exceptions | Autodesk® Vault Basic 2019 can be successfully |

| | | |
|---|---------------------------------|--|
| <p>than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.</p> | | <p>operated by users who are visually impaired and rely on a screen magnifier or custom-display alterations.</p> |
| <p>(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided</p> | <p>Supports</p> | <p>Autodesk® Vault Basic 2019 does not require user hearing in order to operate the software.</p> |
| <p>(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.</p> | <p>Supports</p> | <p>Autodesk® Vault Basic 2019 does not require user hearing in order to operate the software.</p> |
| <p>(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.</p> | <p>Supports</p> | <p>Autodesk® Vault Basic 2019 does not require user speech in order to operate the software.</p> |
| <p>(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.</p> | <p>Supports with Exceptions</p> | <p>Autodesk® Vault Basic 2019 does not have any actions that require the user to do simultaneous actions. But mouse navigation is required for selection of most commands.</p> |

Section 1194.41 Information, Documentation and Support – Detail
 Voluntary Product Accessibility Template

| <i>Criteria</i> | Level of Support & Supporting Features | Remarks and explanations |
|---|--|--|
| (a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge | Supports | Product support documents are available within the product or Adobe PDF upon request. |
| (b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge. | Supports | This document is posted on our website at http://www.autodesk.com . Search for “Section 508” |
| (c) Support services for products shall accommodate the communication needs of end-users with disabilities. | Supports | Support services options are available via webpage, e-mail, fax, or phone. Direct, in-person support is also available |

APPENDIX A (of the DoS VPAT/GPAT Checklist)

Suggested Language for Filling out the VPAT/GPAT

In order to simplify the task of conducting market research assessments for procurement officials or customers, ITIC (Information Technology Industry Council) has developed suggested language for use when filling out a VPAT/GPAT. You may choose to employ all or some of the language below. Once you determine what language you intend to use, we recommend that use is consistent throughout all of your VPAT/GPATs.

Supporting Features (Column 2 on VPAT/GPAT)

Supports

Use this language when you determine the product fully meets the letter and intent of the Criteria.

Supports with Exceptions

Use this language when you determine the product does not fully meet the letter and intent of the Criteria, but provides some level of access relative to the Criteria.

Supports through Equivalent Facilitation

Use this language when you have identified an alternate way to meet the intent of the Criteria or when the product does not fully meet the intent of the Criteria.

Supports when combined with Compatible AT

Use this language when you determine the product fully meets the letter and intent of the Criteria when used in combination with Compatible AT. For example, many software programs can provide speech output when combined with a compatible screen reader (commonly used assistive technology for people who are blind).

Does not Support

Use this language when you determine the product does not meet the letter or intent of the Criteria.

Not Applicable

Use this language when you determine that the Criteria do not apply to the specific product.

Not Applicable - Fundamental Alteration Exception Applies

Use this language when you determine a Fundamental Alteration of the product would be required to meet the Criteria (see the access board standards for the definition of "fundamental alteration").

IMPACT Outreach Center

IRM Program for Accessible Computer/Communication Technology (IMPACT)

2025 E Street, N.W. (SA-9)

Washington, DC 20006

Email: SECTION508@state.gov

Internet: <http://www.state.gov/m/irm/impact/index.htm>

Intranet: <http://impact.state.gov>