

About Voluntary Product Accessibility Template (VPAT)

The VPAT is a template used to document a product's conformance with accessibility standards and guidelines. The purpose of the VPAT is to assist customers and buyers in making preliminary assessments regarding the availability of commercial "Electronic and Information Technology," also referred to as "Information and Communication Technology" (ICT) products and services with features that support accessibility.

Best Practices for Authors

ITI suggests that authors adopt the following best practices when using the VPAT® to create an Accessibility Conformance Report.

- **Branding Header:** Company logo or branding information
- **Date Changes:** If a report is revised, change the report date and explain the revision in the Notes section. Alternately, create a new report and explain in the Notes section that it supersedes an earlier version of the report.
- **Notes:** Add any notes applicable to product or the report
 - Additional information about the product version that the document references
 - Any revisions to the document
 - Links to any related documents
 - Additional information describing the product
 - Additional information about what the document does or does not cover
 - Information suggested by the [WCAG 2.0 Conformance Claim](#)
 - Information needed to satisfy ISO/IEC 17050-1:2004, Supplier's Declaration of Conformity
- **Evaluation Methods Used** – Information to enter may include the following:
 - Testing is based on general product knowledge
 - Similar to another evaluated product
 - Testing with assistive technologies
 - Published test method (provide name, publisher, URL link)
 - Vendor proprietary test method
 - Other test method
- **Remarks and Explanations:** This section may include:
 - Information regarding the testing of a given criteria.
 - Information on application dependencies to support accessibility (e.g. OS, app frameworks, browsers recommended).
 - How the customer can find more information about accessibility issues. One method can be to include the bug ID where customers can call the company's customer support to get additional information.
 - Known workarounds for accessibility issues.

- **Legal Disclaimer:** Area for any legal disclaimer text required by your organization.
- **Saving Space:** To reduce the size of the report it is acceptable to remove sections. Individual criteria cannot be removed, only sections at a time. Section removal is acceptable in four situations:
 - When an entire section is not being reported on because it doesn't apply to the product, for example:
 - Chapter 4: Hardware. Information should be included in the notes for that section why it has been removed.
 - A card reader that doesn't have sound could remove the criteria in section 413 Closed Caption Processing Technologies and just note the why the criteria doesn't apply.
 - If the product is not being evaluated for a level of the criteria (for example Level AAA) then that table may be deleted.
 - If a requesting customer has identified that a section of the standard does not apply, information should be included in the notes that the section has been removed.
- **WCAG 2.0 Tables:** The WCAG 2.0 criteria are shown in three tables, Level A, Level AA, and Level AAA.
 - If desired, these tables can be combined into one table.
 - When reporting on a level (A, AA or AAA) all criteria for that level must be answered.
- **Language:** Use text appropriate for your audience.
- **Multiple Reports:** When using the VPAT to create an Accessibility Conformance Report for complex products it may be helpful to separate answers into multiple reports. For example, when a product is an Authoring Tool that also has web content and documentation. When multiple reports are used for a complex product, it is required to explain this and how to reach the other reports in the Notes section of each report.
- **Criteria Text:** To help conserve space in the ITI template only the criteria ID number and a short title have been included. Where possible, links have been included to the standard/guideline.
 - It is acceptable to add the full text of the criteria into the cell if desired to help with understanding.
 - The links to the standards/guidelines can be removed.
- **Ordering of Tables:** The order that the standards/guideline tables appear may be changed to facilitate reading. For example, if the Accessibility Conformance

Report is for Section 508 only, the WCAG tables may be moved to follow the numbering scheme used in the Section 508 criteria.

- **Guideline Section Heading Rows in Tables:** The tables include heading rows to facilitate understanding the context of the criteria.
 - The cells in these rows do not require answers as indicated by “Heading cell – no response required.”
 - It is optional to add a response if desired.
 - The shading of the row is also optional.
 - If removing the heading rows, edit the criteria titles so it’s clear where they apply.

[Company] Accessibility Conformance Report

Revised Section 508 Edition

VPAT® Version 2.3 (Revised) – April 2019

Name of Product/Version: Autodesk Moldflow Communicator

Product Description: Free viewer for Moldflow products

Report Date: April 7th 2021

Contact Information: Hanno.van.raalte@autodesk.com

Notes:

Evaluation Methods Used: Testing is based on general product knowledge

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.0 Report

Tables 1 and 2 also document conformance with:

- Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 – 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.1.1 Non-text Content</u> (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web: Electronic Docs: Software: <i>Partially Supports</i> Authoring Tool:</p>	<p>Web: Electronic Docs: Software: <i>Majority of UI program elements represented by an image or icon have a tooltip. Specific elements appear as text but behave like a button or combo box. Some icons and dialogue boxes have a tooltip. Some non-text content is decorative only.</i> Authoring Tool:</p>
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web: Electronic Docs: Software: <i>Not Applicable</i> Authoring Tool:</p>	<p>Web: Electronic Docs: Software: Authoring Tool:</p>
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web: Electronic Docs: Software: <i>Partially Supports</i> Authoring Tool:</p>	<p>Web: Electronic Docs: Software: <i>Windows Narrator (Assistive Technology) exposed majority of on-screen activities. On dialogs, the Tab key can be used to change the focus between controls and the active focus is obvious. Majority of dialog boxes have a well-defined indicator of focus</i> Authoring Tool:</p>
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	<p>Web: Electronic Docs: Software: <i>Partially Supports</i> Authoring Tool:</p>	<p>Web: Electronic Docs: Software: <i>Majority of UI program elements represented by an image or icon have a tooltip.</i></p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		<p><i>Specific elements appear as text but behave like a button or combo box.</i></p> <p><i>Some icons and dialogue boxes have a tooltip.</i></p> <p><i>Some non-text content is decorative only.</i></p> <p>Authoring Tool:</p>
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: <i>Partially Supports</i></p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: <i>Most textual input is provided through standard operating system functions for displaying text. Text displayed in the 3-D display area is displayed by the OpenGL 3-D graphics standard. These elements are not accessible by screen readers</i></p> <p>Authoring Tool:</p>
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: <i>Not Applicable</i></p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: <i>Some elements do not allow screen readers to access the text. Sometimes description is cryptic. Text displayed in the 3-D display area is displayed by the OpenGL 3-D graphics standard. These elements are not accessible by screen readers.</i></p> <p>Authoring Tool:</p>
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: <i>Supports</i></p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: <i>Bitmap images and actions associated with them are consistent. Animations are available in the product. Specific elements appear as text but behave like a button or combo box. On dialogs, the Tab key can be used to change the focus between controls and the active focus is obvious.</i></p>

Criteria	Conformance Level	Remarks and Explanations
		Majority of dialog boxes have a well-defined indicator of focus. Authoring Tool:
1.4.1 Use of Color (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: <i>For some objects, the only way to determine that an object is selected is by color.</i> <i>Attributes, checked elements, and error indicators depend on colors.</i> <i>The user has the ability to enter a color index or in certain cases a RGB value.</i> <i>The meaning of analysis results is in many cases expressed by a color (similar to how temperature is communicated I a wether forecast)</i> Authoring Tool:
1.4.2 Audio Control (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Not Applicable</i> Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
2.1.1 Keyboard (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Partially Supports</i> Authoring Tool:	Web: Electronic Docs: Software: <i>Keyboard navigation is provided for some menu commands in the product.</i> <i>All the pull-down and context-menu commands can be accessed using the keyboard.</i> <i>Tools can get accessed in a command search.</i> <i>A mouse or 3D motion controller is required to navigate different aspects of the 3-D display area.</i> Authoring Tool:
2.1.2 No Keyboard Trap (Level A)	Web:	Web:

Criteria	Conformance Level	Remarks and Explanations
<p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Electronic Docs: Software: <i>Partially Supports</i> Authoring Tool:</p>	<p>Electronic Docs: Software: <i>Autodesk® Moldflow supports use of Microsoft Accessibility applications for users with mobility concerns such as MouseKeys, StickyKeys, and FilterKeys.</i> <i>Dialogs make use of tab order to navigate the dialog. Majority of dialog boxes have a well-defined indicator of focus.</i> <i>The ViewCube and Steering Wheels® functionality allow manipulation of objects on the graphic screen with a single mouse button. All non-keyboard accessible commands can be executed with a series of simple mouse button clicks.</i> Authoring Tool:</p>
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web: Electronic Docs: Software: <i>Not Applicable</i> Authoring Tool:</p>	<p>Web: Electronic Docs: Software: Authoring Tool:</p>
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web: Electronic Docs: Software: <i>Not Applicable</i> Authoring Tool:</p>	<p>Web: Electronic Docs: Software: <i>There are no known places in which CFD moving, blinking, or scrolling is started automatically. Auto-updating does occur for background processes, but it is part of an activity that is essential to the software. Animations are part of the software result processing and have play and pause options.</i> Authoring Tool:</p>
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to: Revised Section 508</p>	<p>Web: Electronic Docs: Software: <i>Not Applicable</i></p>	<p>Web: Electronic Docs:</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Authoring Tool:	Software: <i>Autodesk® Moldflow does not use flash or blinking text.</i> Authoring Tool:
2.4.1 Bypass Blocks (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Electronic Docs: Authoring Tool:	Web: Electronic Docs: Authoring Tool:
2.4.2 Page Titled (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: <i>Views are labeled within the User Interface with tabs to help orient the user without needing to interpret content. They are also highlighted in the Project Browser and show in the window title bar.</i> Authoring Tool:
2.4.3 Focus Order (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: <i>On dialogs, the Tab key can be used to change the focus between controls and the active focus is obvious. Majority of dialog boxes have a well-defined indicator of focus.</i> Authoring Tool:
2.4.4 Link Purpose (In Context) (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
3.1.1 Language of Page (Level A) Also applies to:	Web: Electronic Docs:	Web: Electronic Docs:

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: <i>Supports</i> Authoring Tool:	Software: Authoring Tool:
3.2.1 On Focus (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
3.2.2 On Input (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
3.3.1 Error Identification (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
3.3.2 Labels or Instructions (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
4.1.1 Parsing (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		
4.1.2 Name, Role, Value (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Partially Supports</i> Authoring Tool:	Web: Electronic Docs: Software: <i>3rd party software can be used to set values in user interface components.</i> Authoring Tool:

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Not Applicable</i> Authoring Tool:	Web: Electronic Docs: Software: <i>No live audio content in product</i> Authoring Tool:
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Not Applicable</i> Authoring Tool:	Web: Electronic Docs: Software: <i>No videos with audio content in product.</i> Authoring Tool:
1.4.3 Contrast (Minimum) (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: <i>Various objects in the software give the user a choice to adjust the color and contrast. The 3-D display area can display different color gradients.</i>

Criteria	Conformance Level	Remarks and Explanations
		Authoring Tool:
<u>1.4.4 Resize text</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Partially Supports</i> Authoring Tool:	Web: Electronic Docs: Software: <i>Font size for results is available. Fonts scaling of GUI elements can be done at the operating system level. (a few exceptions)</i> Authoring Tool:
<u>1.4.5 Images of Text</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
<u>2.4.5 Multiple Ways</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Electronic Docs: Authoring Tool:	Web: Electronic Docs: Authoring Tool:
<u>2.4.6 Headings and Labels</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: <i>Dialogs group similar information together and have short descriptive labels for the field name. A concise group name is sometimes used to further help the user understand the organization of information. The properties palette uses header-like UI to identify similar information</i> Authoring Tool:
<u>2.4.7 Focus Visible</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 	Web: Electronic Docs: Software: <i>Supports</i> Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 504.2 (Authoring Tool) 602.3 (Support Docs) 		
3.1.2 Language of Parts (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Not Applicable</i> Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
3.2.3 Consistent Navigation (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Electronic Docs: Authoring Tool:	Web: Electronic Docs: Authoring Tool:
3.2.4 Consistent Identification (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Electronic Docs: Authoring Tool:	Web: Electronic Docs: Authoring Tool:
3.3.3 Error Suggestion (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Not Applicable</i> Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: <i>Not Applicable</i> Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:

Table 3: Success Criteria, Level AAA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA) Also applies to: Revised Section 508 – Does not apply	Does not support	There is no mechanism for users to provide sign language alternatives.
1.2.7 Extended Audio Description (Prerecorded) (Level AAA) Also applies to: Revised Section 508 – Does not apply	Does not support	There is no mechanism for users to provide auto descriptions.
1.2.8 Media Alternative (Prerecorded) (Level AAA) Also applies to: Revised Section 508 – Does not apply	Does not support	There is no mechanism for users for alternative time based media
1.2.9 Audio-only (Live) (Level AAA) Also applies to: Revised Section 508 – Does not apply	Not applicable	The software does not provide live audio-only content.
1.4.6 Contrast Enhanced (Level AAA) Also applies to: Revised Section 508 – Does not apply	Partially supports	Most but not all text meets the 7:1 contrast ratio requirement.
1.4.7 Low or No Background Audio (Level AAA) Also applies to: Revised Section 508 – Does not apply	Not applicable	The software does not use background audio.
1.4.8 Visual Presentation (Level AAA) Also applies to: Revised Section 508 – Does not apply	Partially Supports	The software does provide a mechanism to allow the user to select their own foreground and background colours. There are many cases where text is longer than 8tipx and where line and paragraph spacing is too tight. Text size is partially user-configurable.
1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to:	Not applicable	Images of text are not used in the software.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		
2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply	partially Supports	Not all functionality of the software is operable through a keyboard interface.
2.2.3 No Timing (Level AAA) Also applies to: Revised Section 508 – Does not apply	Partially Supports	The media playback tools are the only areas of the software where timing can be essential.
2.2.4 Interruptions (Level AAA) Also applies to: Revised Section 508 – Does not apply	Partially supports	Some areas of the software present non-modal dismissible notifications.
2.2.5 Re-authenticating (Level AAA) Also applies to: Revised Section 508 – Does not apply	Partially supports	In some areas of the software, drafts and temporary storage are used to save the user's state in the event that they need to reauthenticate. In most cases, the user is able to copy any unsurmised data before being redirected to the login page.
2.3.2 Three Flashes (Level AAA) Also applies to: Revised Section 508 – Does not apply	Supports	The software does not contain any elements that flash.
2.4.8 Location (Level AAA) Also applies to: Revised Section 508 – Does not apply	Supports	The software provides an indication of the user's current location using global and project-based navigation.
2.4.9 Link Purpose (Link Only) (Level AAA) Also applies to: Revised Section 508 – Does not apply	Supports	Links are always displayed with text that describes their purpose.

Criteria	Conformance Level	Remarks and Explanations
2.4.10 Section Headings (Level AAA) Also applies to: Revised Section 508 – Does not apply	Partially supports	Where longer blocks of text are used in static content, they are often organized using section headings.
3.1.3 Unusual Words (Level AAA) Also applies to: Revised Section 508 – Does not apply	Partially supports	Where idioms or jargon are used in static content, they are explained in external documentation.
3.1.4 Abbreviations (Level AAA) Also applies to: Revised Section 508 – Does not apply	Partially Supported	Where abbreviations are used in static content, they are explained in external documentation.
3.1.5 Reading Level (Level AAA) Also applies to: Revised Section 508 – Does not apply	Not Supported	Static content that requires a reading ability more advanced than a lower secondary education level does not have a simpler alternative.
3.1.6 Pronunciation (Level AAA) Also applies to: Revised Section 508 – Does not apply	Not Supported	Static content does not include pronunciation guidance.
3.2.5 Change on Request (Level AAA) Also applies to: Revised Section 508 – Does not apply	Supported	Context changes only occur when initiated by the user.

Criteria	Conformance Level	Remarks and Explanations
3.3.5 Help (Level AAA) Also applies to: Revised Section 508 – Does not apply	Supported	Context-sensitive help is available for some complex operations. Separate documentation exists for most other functions.
3.3.6 Error Prevention (All) (Level AAA) Also applies to: Revised Section 508 – Does not apply	Supported	Many operations are undoable. User input is frequently checked for validation errors. Most operations require review and confirmation before submission.

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	<i>Not Applicable</i>	
302.2 With Limited Vision	<i>Supports</i>	<i>No audio is available in the product. Windows Magnifier can be used by people who are visually impaired.</i>
302.3 Without Perception of Color	<i>Supports</i>	
302.4 Without Hearing	<i>Supports</i>	<i>Autodesk® CFD does not require user hearing to operate the software.</i>
302.5 With Limited Hearing	<i>Supports</i>	<i>Autodesk® CFD does not require user hearing to operate the software.</i>
302.6 Without Speech	<i>Supports</i>	<i>Autodesk® CFD does not require user speech to operate the software.</i>
302.7 With Limited Manipulation	<i>Supports</i>	<i>Keyboard navigation is provided for some menu commands in the product. The ViewCube® and SteeringWheels® functionality allow manipulation of objects on the graphic screen with a single mouse button. All non-keyboard accessible commands can be executed with a series of simple mouse button clicks.</i>
302.8 With Limited Reach and Strength	<i>Supports</i>	<i>Autodesk® CFD supports use of Microsoft Accessibility applications for users with mobility concerns such as MouseKeys, StickyKeys, and FilterKeys.</i>

Criteria	Conformance Level	Remarks and Explanations
302.9 With Limited Language, Cognitive, and Learning Abilities	<i>Supports</i>	

Chapter 4: [Hardware](#)

Notes: This section has been omitted because the product is software-based.

Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	Does not Support	See information in WCAG 2.0 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Partially supports	Accessibility features of the underlying operating system are available for certain operations
502.2.2 No Disruption of Accessibility Features		
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Does not Support	
502.3.2 Modification of Object Information	Does not Support	
502.3.3 Row, Column, and Headers	Does not Support	
502.3.4 Values	Partially supports	Where custom input components have been created, only a subset of them enable this functionality by conforming to WAI-ARIA guidelines.
502.3.5 Modification of Values	Partially supports	Where custom input components have been created, only a subset of them enable this functionality by conforming to WAI-ARIA guidelines.
502.3.6 Label Relationships	Not Supported	
502.3.7 Hierarchical Relationships	Not Supported	
502.3.8 Text	Not Supported	.
502.3.9 Modification of Text	Not Supported	

Criteria	Conformance Level	Remarks and Explanations
502.3.10 List of Actions	Not Supported	
502.3.11 Actions on Objects	Not Supported	
502.3.12 Focus Cursor	Not Supported	
502.3.13 Modification of Focus Cursor	Not Supported	
502.3.14 Event Notification	Partially supports	Where custom input components have been created, only a subset of them enable this functionality by conforming to WAI-ARIA guidelines.
502.4 Platform Accessibility Features	Not Supported	
<u>503 Applications</u>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Partially supports	User preferences are available for light and dark themes.
503.3 Alternative User Interfaces	Not Supported	User preferences are available for light and dark themes.
<i>503.4 User Controls for Captions and Audio Description</i>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Supported	Video content is supplied by the user and presented as-is. Controls are not available in the media players to present closed captions if they exist.
503.4.2 Audio Description Controls	Not Supported	Video content is supplied by the user and presented as-is. Controls are not available in the media players to present closed captions if they exist.
<u>504 Authoring Tools</u>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	“not applicable”	See information in WCAG 2.0 section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	“not applicable”	
504.2.2 PDF Export	“not applicable”	
504.3 Prompts	“not applicable”	
504.4 Templates	“not applicable”	

Chapter 6: Support Documentation and Services

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
<u>602 Support Documentation</u>	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	<i>Supports</i>	<i>This document is posted on our website at http://www.autodesk.com. Search for "Section 508".</i>
602.3 Electronic Support Documentation	See WCAG 2.0 section	See information in WCAG section
602.4 Alternate Formats for Non-Electronic Support Documentation	<i>Supports</i>	<i>The documentation is available in the html format on http://www.autodesk.com. A hardcopy can be requested.</i>
<u>603 Support Services</u>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	<i>Supports</i>	
603.3 Accommodation of Communication Needs	<i>Supports</i>	<i>Support services options are available via webpage, e-mail, fax, or phone. Direct, in-person support is also available through resellers.</i>

Legal Disclaimer (Company)

Include your company legal disclaimer here, if needed.