Autodesk Accessibility Conformance Report International Edition

(Based on VPAT[®] Version 2.5)

Name of Product/Version: Autodesk BIM 360 Docs

Report Date: April 2024

Product Description: Cloud-based document management and common data environment (CDE)

Contact Information: business.services@autodesk.com (1-415-507-5000)

Notes: N/A

Evaluation Methods Used: Testing is based on general product knowledge

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Supports)
	Level AA (Partially Supports)
	Level AAA (Not Evaluated)

"Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.1	Level A (Supports)
	Level AA (Partially Supports)
	Level AAA (Not Evaluated)
Web Content Accessibility Guidelines 2.2	Level A (Supports)
	Level AA (Partially Supports)
	Level AAA (Not Evaluated)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Partially Supports)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Partially Supports)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports**: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

• EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation

• Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.0 Conformance Requirements</u>.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
 1.1.1 Non-text Content (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 1.2.2 Captions (Prerecorded) (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports Supports Partially Supports	Several buttons in UI don't have text labels and tooltips. The application supports Audio-only and Video-only (prerecorded). User generated audio and video content may not support this guideline. Several prerecorded videos don't provide captions.
 1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	
1.3.1 Info and Relationships (Level A) Also applies to:	Partially Supports	

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508		
501 (Web)(Software)504.2 (Authoring Tool)		
 602.3 (Support Docs) 		
1.3.2 Meaningful Sequence (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.2 (Web)		
• 10.1.3.2 (Non-web document)		
• 11.1.3.2.1 (Open Functionality Software)		
• 11.1.3.2.2 (Closed Software)	Course and a	
• 11.8.2 (Authoring Tool)	Supports	
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.3.3 Sensory Characteristics (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.3 (Web)		
• 10.1.3.3 (Non-web document)		
• 11.1.3.3 (Open Functionality Software)		
• 11.1.3.3 (Closed Software)	Supports	
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
1.4.1 Use of Color(Level A)Also applies to:EN 301 549 Criteria• 9.1.4.1 (Web)		
 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 	Supports	Besides colors, texts are provided.
Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 1.4.2 Audio Control (Level A)		
Also applies to: EN 301 549 Criteria 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	
 2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 	Partially Supports	Keyboard navigation is not supported, and mouse input is required for completing most of functionality.

Criteria	Conformance Level	Remarks and Explanations
• 11.2.1.1.1 (Open Functionality Software)		
• 11.2.1.1.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) 		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.1.2 No Keyboard Trap (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.1.2 (Web)		
 10.2.1.2 (Non-web document) 		
 11.2.1.2 (Open Functionality Software) 		
• 11.2.1.2 (Closed Software)	Partially Supports	Keyboard focus can be trapped in dialog boxes or the
• 11.8.2 (Authoring Tool)		viewer.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.1.4 (Web)	Does Not Support	
• 10.2.1.4 (Non-web document)		The application doesn't support character key shortcuts.
• 11.2.1.4.1 (Open Functionality Software)		
• 11.2.1.4.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		

Criteria	Conformance Level	Remarks and Explanations
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.2.1 Timing Adjustable (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.2.1 (Web)		
 10.2.2.1 (Non-web document) 		
 11.2.2.1 (Open Functionality Software) 		There are popup toast messages, staying for 5 seconds
 11.2.2.1 (Closed Software) 	Partially Supports	and then disappearing. The user has no way to pause
 11.8.2 (Authoring Tool) 		such message.
• 12.1.2 (Product Docs)		such message.
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) 		
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
2.2.2 Pause, Stop, Hide (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.2.2 (Web)		
 10.2.2.2 (Non-web document) 		
 11.2.2.2 (Open Functionality Software) 		
 11.2.2.2 (Closed Software) 	Partially Supports	Some animations cannot be paused by the user.
 11.8.2 (Authoring Tool) 		Some animations cannot be paused by the user.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) 		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.3.1 Three Flashes or Below Threshold (Level A)		
Also applies to:	Supports	
EN 301 549 Criteria		

Criteria	Conformance Level	Remarks and Explanations
• 9.2.3.1 (Web)		
• 10.2.3.1 (Non-web document)		
• 11.2.3.1 (Open Functionality Software)		
• 11.2.3.1 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.1 (Web)		
 10.2.4.1 (Non-web document) – Does not apply 		
 11.2.4.1 (Open Functionality Software) – Does not apply 		
 11.2.4.1 (Closed Software) – Does not apply 	Supports	
• 11.8.2 (Authoring Tool)	Supports	
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) – Does not apply to non-web software 		
 504.2 (Authoring Tool) 		
 602.3 (Support Docs) – Does not apply to non-web docs 		
2.4.2 Page Titled (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.2 (Web)	Supports	
• 10.2.4.2 (Non-web document)		
 11.2.4.2 (Open Functionality Software) - Does not apply 		
 11.2.4.2 (Closed Software) – Does not apply 		

Criteria	Conformance Level	Remarks and Explanations
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) 		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.3 Focus Order (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.3 (Web)		
 10.2.4.3 (Non-web document) 		
 11.2.4.3 (Open Functionality Software) 		There is no clear focus order set on Folders, Reviews, Transmittals, Issues pages.
• 11.2.4.3 (Closed Software)	Does Not Support	
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.4 Link Purpose (In Context) (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.4 (Web)		
• 10.2.4.4 (Non-web document)		
 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Cleased Software) 	Supports	
• 11.2.4.4 (Closed Software		
• 11.8.2 (Authoring Tool)		
 12.1.2 (Product Docs) 12.2.4 (Support Docs) 		
12.2.4 (Support Docs) Revised Section 508		
• 501 (Web)(Software)		
	Dogo 10 of 27	

Criteria	Conformance Level	Remarks and Explanations
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.5.1 Pointer Gestures (Level A 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.1 (Web)		
 10.2.5.1 (Non-web document) 		
 11.2.5.1 (Open Functionality Software) 	Supports	
 11.2.5.1 (Closed Software) 		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.2 (Web)		
 10.2.5.2 (Non-web document) 		
	Supports	
 11.2.5.2 (Closed Software) 		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.3 Label in Name (Level A 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.3 (Web)		
	Supports	
 11.2.5.3.1 (Open Functionality Software) 		
• 11.2.5.3.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		

Criteria	Conformance Level	Remarks and Explanations
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.4 Motion Actuation (Level A 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.4 (Web)		
 10.2.5.4 (Non-web document) 		
 11.2.5.4 (Open Functionality Software) 	Does Not Supports	
 11.2.5.4 (Closed Software) 		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
3.1.1 Language of Page (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.1.1 (Web)		
 10.3.1.1 (Non-web document) 		
 11.3.1.1.1 (Open Functionality Software) 	Supports	
 11.3.1.1.2 (Closed Software) 		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) 		
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
3.2.1 On Focus (Level A)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.3.2.1 (Web)	Sabbours	
 10.3.2.1 (Non-web document) 		
11.3.2.1 (Open Functionality Software)		

Criteria	Conformance Level	Remarks and Explanations
 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	
 3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply 	Supports	
 3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 	Supports	

Criteria	Conformance Level	Remarks and Explanations
 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partial Supports	There are a few buttons that have only graphics but no text labels: • File list and tile view buttons
 3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply 	Partially Supports	 Files custom attributes automatically show on the new versions. The naming validator, however, doesn't retrieve the attribute data from previous versions. The user has to re-enter the values.
 4.1.1 Parsing (Level A) Applies to: WCAG 2.0 and 2.1 – Always answer 'Supports' WCAG 2.2 (obsolete and removed) - Does not apply EN 301 549 Criteria 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 	Supports	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the <u>WCAG 2.0</u> <u>Editorial Errata</u> and the <u>WCAG 2.1 Editorial Errata</u> .

Criteria	Conformance Level	Remarks and Explanations
• 11.4.1.1.1 (Open Functionality Software)		
 11.4.1.1.2 (Closed Software) – Does not apply 		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) 		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
4.1.2 Name, Role, Value (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.4.1.2 (Web)		
 10.4.1.2 (Non-web document) 		
 11.4.1.2.1 (Open Functionality Software) 		
 11.4.1.2.2 (Closed Software) – Does not apply 	Does Not Supports	
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria	Not applicable	The application does not use live audio or video content.

Criteria	Conformance Level	Remarks and Explanations
• 9.1.2.4 (Web)		
• 10.1.2.4 (Non-web document)		
• 11.1.2.4 (Open Functionality Software)		
• 11.1.2.4 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.2.5 Audio Description (Prerecorded) (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.2.5 (Web)		
• 10.1.2.5 (Non-web document)		
 11.1.2.5 (Open Functionality Software) 		
• 11.1.2.5 (Closed Software)	Supports	The application supports Audio Description
• 11.8.2 (Authoring Tool)	Supports	(Prerecorded).
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) 		
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
1.3.4 Orientation (Level AA 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.4 (Web)	Supports	
 10.1.3.4 (Non-web document) 		
 11.1.3.4 (Open Functionality Software) 		
• 11.1.3.4 (Closed Software)		

Criteria	Conformance Level	Remarks and Explanations
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.5 (Web)		
 10.1.3.5 (Non-web document) 		
 11.1.3.5.1 (Open Functionality Software) 	Supports	
 11.1.3.5.2 (Closed Software) 		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.4.3 Contrast (Minimum) (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.3 (Web)	Partially Supports	 There are some items showing low contrast: The upload files button label and the buttor color Report display on the number of files
 10.1.4.3 (Non-web document) 		
 11.1.4.3 (Open Functionality Software) 		
• 11.1.4.3 (Closed Software)		
• 11.8.2 (Authoring Tool)		 Markup and Issue indicator for 0 items
• 12.1.2 (Product Docs)		 Transmittals' filter button label.
• 12.2.4 (Support Docs)		 Text message on the Zero doc state.
Revised Section 508		
 501 (Web)(Software) 		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.4 Resize text (Level AA)		
Also applies to:	Supports	
EN 301 549 Criteria	Supports	
• 9.1.4.4 (Web)		
	Dago 17 of 27	

Criteria	Conformance Level	Remarks and Explanations
• 10.1.4.4 (Non-web document)		
• 11.1.4.4.1 (Open Functionality Software)		
• 11.1.4.4.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.4.5 Images of Text (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.5 (Web)		
 10.1.4.5 (Non-web document) 		
 11.1.4.5.1 (Open Functionality Software) 		
 11.1.4.5.2 (Closed Software) – Does not apply 	Supports	
• 11.8.2 (Authoring Tool)	Supports	
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) 		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.4.10 Reflow (Level AA 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.10 (Web)	Partially Supports	The right side of the File toolbar can be lost when zooming in too much.
 10.1.4.10 (Non-web document) 	Partially Supports	
 11.1.4.10 (Open Functionality Software) 		
• 11.1.4.10 (Closed Software)		
• 11.8.2 (Authoring Tool)		

Criteria	Conformance Level	Remarks and Explanations
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.11 (Web)		
• 10.1.4.11 (Non-web document)		
 11.1.4.11 (Open Functionality Software) 	Partially Supports	The Set filter icon has a low contrast.
• 11.1.4.11 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.4.12 Text Spacing (Level AA 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.12 (Web)		
 10.1.4.12 (Non-web document) 		
 11.1.4.12 (Open Functionality Software) 	Supports	
• 11.1.4.12 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.13 (Web)	Partially Supports	Buttons of the file list view and tile view don't have
• 10.1.4.13 (Non-web document)		hover-over text.
• 11.1.4.13 (Open Functionality Software)		
• 11.1.4.13 (Closed Software)		
• 11.8.2 (Authoring Tool)		

Criteria	Conformance Level	Remarks and Explanations
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
4.5 Multiple Ways (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.5 (Web)		
 10.2.4.5 (Non-web document) – Does not apply 		
 11.2.4.5 (Open Functionality Software) – Does not apply 		
 11.2.4.5 (Closed Software) – Does not apply 	Supports	
• 11.8.2 (Authoring Tool)	Supports	
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software) – Does not apply to non-web software		
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		
4.6 Headings and Labels (Level AA)		
Also applies to:		
EN 301 549 Criteria		The files table doesn't have its heading and label.
• 9.2.4.6 (Web)		
 10.2.4.6 (Non-web document) 		
 11.2.4.6 (Open Functionality Software) 		
 11.2.4.6 (Closed Software) 	Partially Supports	
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) 		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
4.7 Focus Visible (Level AA)	Partially Supports	The keyboard focus is not visible on buttons: Filter,
Also applies to:		Deleted items, Document log, and Publish log.
	Page 20 of 37	

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria		
• 9.2.4.7 (Web)		
• 10.2.4.7 (Non-web document)		
• 11.2.4.7 (Open Functionality Software)		
• 11.2.4.7 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only)		
EN 301 549 Criteria – Does not apply	Supports	
Revised Section 508 – Does not apply		
2.5.7 Dragging Movements (Level AA 2.2 only)		
EN 301 549 Criteria – Does not apply	Supports	
Revised Section 508 – Does not apply		
2.5.8 Target Size (Minimum) (Level AA 2.2 only)		
EN 301 549 Criteria – Does not apply	Supports	
Revised Section 508 – Does not apply		
3.1.2 Language of Parts (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.1.2 (Web)		
 10.3.1.2 (Non-web document) 		
 11.3.1.2 (Open Functionality Software) – Does not apply 	Supports	
 11.3.1.2 (Closed Software) – Does not apply 	Supports	
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		

Criteria	Conformance Level	Remarks and Explanations
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.2.3 Consistent Navigation (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.2.3 (Web)		
 10.3.2.3 (Non-web document) – Does not apply 		
 11.3.2.3 (Open Functionality Software) – Does not apply 		
 11.3.2.3 (Closed Software) – Does not apply 	Supports	
• 11.8.2 (Authoring Tool)	Supports	
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) – Does not apply to non-web software 		
 504.2 (Authoring Tool) 		
 602.3 (Support Docs) – Does not apply to non-web docs 		
3.2.4 Consistent Identification (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.2.4 (Web)		There is no tab order on Folders, Reviews, Transmittals and Issues. Tab order is not defined on the Issues tab.
 10.3.2.4 (Non-web document) – Does not apply 		
 11.3.2.4 (Open Functionality Software) – Does not apply 		
 11.3.2.4 (Closed Software) – Does not apply 	Partially Supports	
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) – Does not apply to non-web software 		
• 504.2 (Authoring Tool)		
602.3 (Support Docs) – Does not apply to non-web docs		
3.3.3 Error Suggestion (Level AA)		
Also applies to:	Supports	
EN 301 549 Criteria	Daga 33 of 37	

Criteria	Conformance Level	Remarks and Explanations
• 9.3.3.3 (Web)		
• 10.3.3.3 (Non-web document)		
• 11.3.3.3 (Open Functionality Software)		
• 11.3.3.3 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.3.4 (Web)		
 10.3.3.4 (Non-web document) 		
 11.3.3.4 (Open Functionality Software) 		
• 11.3.3.4 (Closed Software)	Supports	
• 11.8.2 (Authoring Tool)	Supports	
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
 501 (Web)(Software) 		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only)		
EN 301 549 Criteria – Does not apply	Supports	
Revised Section 508 – Does not apply		
4.1.3 Status Messages (Level AA 2.1 and 2.2)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.4.1.3 (Web)		
• 10.4.1.3 (Non-web document)		

Criteria	Conformance Level	Remarks and Explanations
• 11.4.1.3 (Open Functionality Software)		
 11.4.1.3 (Closed Software) – Does not apply 		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		

Table 3: Success Criteria, Level AAA

Notes: N/A

Revised Section 508 Report

Notes:

Chapter 3: <u>Functional Performance Criteria</u> (FPC)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Not Applicable	BIM 360 is a visually dependent application
302.2 With Limited Vision	Not Applicable	BIM 360 is a visually dependent application
302.3 Without Perception of Color	Not Applicable	BIM 360 is a visually dependent application
302.4 Without Hearing	Supports	Hearing is not required to operate the application
302.5 With Limited Hearing	Supports	Hearing is not required to operate the application
302.6 Without Speech	Not Applicable	Speech is not required to operate the application
302.7 With Limited Manipulation	Not Applicable	
302.8 With Limited Reach and Strength	Not Applicable	
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	Speech is not required to operate the application

Chapter 4: <u>Hardware</u>

Notes: N/A

Chapter 5: <u>Software</u>

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Partially supports	BIM 360 participates in accessibility features provided by the OS. Some commands cannot be executed from keyboard shortcuts. Consistent Materials and other commands cannot be executed from keyboard shortcuts. All Tab selection, object selection in canvas are not supported by keyboard. Some dialogs cannot be closed by Escape key.
502.2.2 No Disruption of Accessibility Features	Not Evaluated	Not Evaluated
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially supports	There are action buttons showing no state.
502.3.2 Modification of Object Information	Not Evaluated	Not Evaluated
502.3.3 Row, Column, and Headers	Supports	
502.3.4 Values	Supports	Values can be defined with parameters
502.3.5 Modification of Values	Supports	Value modification is supported
502.3.6 Label Relationships	Partially supports	BIM 360 icons have tooltips
502.3.7 Hierarchical Relationships	Not Evaluated	
502.3.8 Text	Supports	
502.3.9 Modification of Text	Supports	
502.3.10 List of Actions	Supports	User actions are recorded in an Activity Log

Criteria	Conformance Level	Remarks and Explanations
502.3.11 Actions on Objects	Not applicable	
502.3.12 Focus Cursor	Partially supports	Focus for text/value input is clearly highlighted in most command interactions. The focus on Primitives cannot be operated correctly by clicking Tab.
502.3.13 Modification of Focus Cursor	Not Evaluated	Not Evaluated
502.3.14 Event Notification	Not Evaluated	Not Evaluated
502.4 Platform Accessibility Features	Not Evaluated	Not Evaluated
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Not Evaluated	Not Evaluated
503.3 Alternative User Interfaces	Not Evaluated	Not Evaluated
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Evaluated	
503.4.2 Audio Description Controls	Not Evaluated	
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	
504.2.2 PDF Export	Not Applicable	
504.3 Prompts	Not Applicable	
504.4 Templates	Not Applicable	

Chapter 6: <u>Support Documentation and Services</u>

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Not applicable	
602.3 Electronic Support Documentation	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section

Criteria	Conformance Level	Remarks and Explanations
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	Support documentation is available within the product. Hardcopy can be printed at any time.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	This document is posted on our website at http://www.autodesk.com . Search for "Section 508"
603.3 Accommodation of Communication Needs	Supports	Support services options are available via webpage, e-mail, fax, or phone. Direct, in person support is also available

EN 301 549 Report

Notes:

Chapter <u>4: Functional Performance Statements</u> (FPS)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Not Applicable	BIM 360 is a visually dependent application
4.2.2 Usage with limited vision	Not Applicable	BIM 360 is a visually dependent application
4.2.3 Usage without perception of colour	Not Applicable	BIM 360 is a visually dependent application
4.2.4 Usage without hearing	Supports	Hearing is not required to operate the application
4.2.5 Usage with limited hearing	Supports	Hearing is not required to operate the application
4.2.6 Usage with no or limited vocal capability	Not Applicable	Speech is not required to operate the application
4.2.7 Usage with limited manipulation or strength	Not Applicable	
4.2.8 Usage with limited reach	Not Applicable	
4.2.9 Minimize photosensitive seizure triggers	Not Evaluated	Not Evaluated
4.2.10 Usage with limited cognition, language or learning	Supports	Speech is not required to operate the application
4.2.11 Privacy	Supports	

Chapter <u>5: Generic Requirements</u>

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not Evaluated	
5.1.3.2 Auditory output delivery including speech	Not Evaluated	
5.1.3.3 Auditory output correlation	Not Evaluated	
5.1.3.4 Speech output user control	Not Evaluated	
5.1.3.5 Speech output automatic interruption	Not Evaluated	
5.1.3.6 Speech output for non-text content	Not Evaluated	
5.1.3.7 Speech output for video information	Not Evaluated	
5.1.3.8 Masked entry	Not Evaluated	
5.1.3.9 Private access to personal data	Not Evaluated	
5.1.3.10 Non-interfering audio output	Not Evaluated	
5.1.3.11 Private listening volume	Not Evaluated	
5.1.3.12 Speaker volume	Not Evaluated	
5.1.3.13 Volume reset	Not Evaluated	
5.1.3.14 Spoken languages	Not Evaluated	
5.1.3.15 Non-visual error identification	Not Evaluated	
5.1.3.16 Receipts, tickets, and transactional outputs	Not Evaluated	
5.1.4 Functionality closed to text enlargement	Not Evaluated	
5.1.5 Visual output for auditory information	Not Evaluated	
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Evaluated	
5.1.7 Access without speech	Not Evaluated	

Criteria	Conformance Level	Remarks and Explanations
5.2 Activation of accessibility features	Not Evaluated	
5.3 Biometrics	Not Evaluated	
5.4 Preservation of accessibility information during conversion	Not Evaluated	
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not Evaluated	
5.5.2 Operable parts discernibility	Not Evaluated	
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not Evaluated	
5.6.2 Visual status	Not Evaluated	
5.7 Key repeat	Not Evaluated	
5.8 Double-strike key acceptance	Not Evaluated	
5.9 Simultaneous user actions	Not Evaluated	

Chapter <u>6: ICT with Two-Way Voice Communication</u>

Criteria	Conformance Level	Remarks and Explanations
6.1 Audio bandwidth for speech	Not Evaluated	
6.2 Real-time text (RTT) functionality	Heading cell – no response required	Heading cell – no response required
6.2.1.1 RTT communication	Not Evaluated	
6.2.1.2 Concurrent voice and text	Not Evaluated	
6.2.2.1 Visually distinguishable display	Not Evaluated	
6.2.2.2 Programmatically determinable send and receive direction	Not Evaluated	
6.2.2.3 Speaker identification	Not Evaluated	
6.2.2.4 Visual indicator of Audio with RTT	Not Evaluated	
6.2.3 Interoperability	Not Evaluated	
6.2.4 RTT responsiveness	Not Evaluated	
6.3 Caller ID	Not Evaluated	

Criteria	Conformance Level	Remarks and Explanations
6.4 Alternatives to voice-based services	Not Evaluated	
6.5 Video communication	Heading cell – no response required	Heading cell – no response required
6.5.1 General (informative)	Heading cell – no response required	Heading cell – no response required
6.5.2 Resolution	Not Evaluated	
6.5.3 Frame rate	Not Evaluated	
6.5.4 Synchronization between audio and video	Not Evaluated	
6.5.5 Visual indicator of audio with video	Not Evaluated	
6.5.6 Speaker identification with video (sign language) communication	Not Evaluated	-
6.6 Alternatives to video-based services (advisory only)	Advisory – no response required	Advisory – no response required

Chapter 7: ICT with Video Capabilities

Notes:

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell – no response required	Heading cell – no response required
7.1.1 Captioning playback	Not Evaluated	
7.1.2 Captioning synchronization	Not Evaluated	
7.1.3 Preservation of captioning	Not Evaluated	
7.1.4 Captions characteristics	Not Evaluated	
7.1.5 Spoken subtitles	Not Evaluated	
7.2.1 Audio description playback	Not Evaluated	
7.2.2 Audio description synchronization	Not Evaluated	
7.2.3 Preservation of audio description	Not Evaluated	
7.3 User controls for captions and audio description	Not Evaluated	

Chapter <u>8: Hardware</u>

Criteria	Conformance Level	Remarks and Explanations
8.1.1 Generic requirements	Heading cell – no response required	Heading cell – no response required
8.1.2 Standard connections	Not applicable	
8.1.3 Colour	Not applicable	
8.2 Hardware products with speech output	Heading cell – no response required	Heading cell – no response required
8.2.1.1 Speech volume range	Not applicable	
8.2.1.2 Incremental volume control	Not applicable	
8.2.2.1 Fixed-line devices	Not applicable	
8.2.2.2 Wireless communication devices	Not applicable	
8.3 Stationary ICT	Heading cell – no response required	Heading cell – no response required
8.3.2.1 Unobstructed high forward reach	Not applicable	
8.3.2.2 Unobstructed low forward reach	Not applicable	
8.3.2.3.1 Clear space	Not applicable	
8.3.2.3.2 Obstructed (< 510 mm) forward reach	Not applicable	
8.3.2.3.3 Obstructed (< 635 mm) forward reach	Not applicable	
8.3.2.4 Knee and toe clearance width	Not applicable	
8.3.2.5 Toe clearance	Not applicable	
8.3.2.6 Knee clearance	Not applicable	
8.3.3.1 Unobstructed high side reach	Not applicable	
8.3.3.2 Unobstructed low side reach	Not applicable	
8.3.3.1 Obstructed (≤ 255 mm) side reach	Not applicable	
8.3.3.3.2 Obstructed (≤ 610 mm) side reach	Not applicable	
8.3.4.1 Change in level	Not applicable	
8.3.4.2 Clear floor or ground space	Not applicable	
8.3.4.3.2 Forward approach	Not applicable	
8.3.4.3.3 Parallel approach	Not applicable	
8.3.5 Visibility	Not applicable	
8.3.6 Installation instructions	Not applicable	

Criteria	Conformance Level	Remarks and Explanations
8.4 Mechanically Operable parts	Heading cell – no response required	Heading cell – no response required
8.4.1 Numeric keys	Not applicable	
8.4.2.1 Means of operation of mechanical parts	Not applicable	
8.4.2.2 Force of operation of mechanical parts	Not applicable	
8.4.3 Keys, tickets and fare cards	Not applicable	
8.5 Tactile indication of speech mode	Not applicable	

Chapter <u>9: Web</u> (see <u>WCAG 2.x section</u>)

Notes:

Chapter 10: Non-Web Documents

Notes:

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
10.5 Caption positioning	Not applicable	
10.6 Audio description timing	Not applicable	

Chapter <u>11: Software</u>

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1 through 11.4.1.3	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Evaluated	Not Evaluated
11.5.2.5 Object information	Not Evaluated	Not Evaluated
11.5.2.6 Row, column, and headers	Not Evaluated	Not Evaluated
11.5.2.7 Values	Not Evaluated	Not Evaluated
11.5.2.8 Label relationships	Not Evaluated	Not Evaluated
11.5.2.9 Parent-child relationships	Not Evaluated	Not Evaluated
11.5.2.10 Text	Not Evaluated	Not Evaluated
11.5.2.11 List of available actions	Not Evaluated	Not Evaluated
11.5.2.12 Execution of available actions	Not Evaluated	Not Evaluated
11.5.2.13 Tracking of focus and selection attributes	Not Evaluated	Not Evaluated
11.5.2.14 Modification of focus and selection attributes	Not Evaluated	Not Evaluated
11.5.2.15 Change notification	Not Evaluated	Not Evaluated
11.5.2.16 Modifications of states and properties	Not Evaluated	Not Evaluated
11.5.2.17 Modifications of values and text	Not Evaluated	Not Evaluated
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Evaluated	Not Evaluated
11.6.2 No disruption of accessibility features	Not Evaluated	Not Evaluated
11.7 User preferences	Not Evaluated	Not Evaluated
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	See WCAG 2.x section	See information in WCAG 2.x section

Criteria	Conformance Level	Remarks and Explanations
	(If not authoring tool, enter "Not	
	Applicable")	
11.8.3 Preservation of accessibility information in transformations	Not Evaluated	Not Evaluated
11.8.4 Repair assistance	Not Evaluated	Not Evaluated
11.8.5 Templates	Not Evaluated	Not Evaluated

Chapter <u>12: Documentation and Support Services</u>

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Not Evaluated	Not Evaluated
12.1.2 Accessible documentation	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Not Evaluated	Not Evaluated
12.2.3 Effective communication	Not Evaluated	Not Evaluated
12.2.4 Accessible documentation	See <u>WCAG 2.x</u> section	See information in WCAG 2.x section

Chapter <u>13: ICT Providing Relay or Emergency Service Access</u>

Criteria	Conformance Level	Remarks and Explanations
13.1 Relay services requirements	Heading cell – no response required	Heading cell – no response required
13.1.2 Text relay services	Not Evaluated	Not Evaluated
13.1.3 Sign relay services	Not Evaluated	Not Evaluated
13.1.4 Lip-reading relay services	Not Evaluated	Not Evaluated
13.1.5 Captioned telephony services	Not Evaluated	Not Evaluated
13.1.6 Speech to speech relay services	Not Evaluated	Not Evaluated

Criteria	Conformance Level	Remarks and Explanations
13.2 Access to relay services	Not Evaluated	Not Evaluated
13.3 Access to emergency services	Not Evaluated	Not Evaluated

Legal Disclaimer

Autodesk and Autodesk BIM 360 Docs are registered trademarks or trademarks of Autodesk, Inc., or its subsidiaries and/or affiliates in the USA and/or other countries. All other brand names, product names, or trademarks belong to their respective holders. Autodesk reserves the right to alter product offerings and specifications at any time without notice, and is not responsible for typographical or graphical errors that may appear in this document.

© 2024 Autodesk, Inc. All rights reserved.